

5 YEAR
GUARANTEE




LED Panel Light Information

Input Voltage	220-240V/AC
Operating Temperature	-20°C to +60°C (Amb.)

LED Panel Light

Installation Manual



Sheenly Lighting Co.,Ltd.

No.2755, Sanlu Road, Bldg I, Minhang District, Shanghai 201112, China.
 Tel: +86-21-6411 3138 Fax: +86-21-6411 3862
 Email: ssales@sheenly.com www.sheenly.com



Mobile APP



	220 - 240V	50Hz		Ensure that the main electrical supply is switched off before installing the fitting.
--	------------	------	--	---

I. Suspension Rope



Available Type: Step Frame Panels

Flat Frame Panels

Step 1

Dimension	A(mm)	B(mm)
595x595		
618x618	580	580
622x622		

Step 2

Step 3

Step 4

Step 5

Step 6

Step 7

X4 X4 X4 X4 X4 X4

**Lighting Up
a New World**

II. Recessed



Available Type: Step Frame Panels

Flat Frame Panels

Step 1

Step 2

Step 3

Step 4

Step 5

Step 6

**Lighting Up
a New World**

III. Box Surface Mounted

SHEENLY

Available Type: Step Frame Panels

Flat Frame Panels

Step 1

Dimension	A(mm)	B(mm)
618x618	529	572
595x595	502	545
295x1195	1102	245
295x295	202	245

Step 2

Step 3

Step 4

Step 5

Step 6

Step 7

Step 7

Lighting Up a New World

IV. Column Surface Mounted

SHEENLY

Available Type: Step Frame Panels

Flat Frame Panels

Step 1

Dimension	A(mm)	B(mm)
618x618	462	569
595x595	422	546
622x622	462	573
618x618	587	380
595x595	564	380
622x622	591	380
295x295	264	264
295x1195	264	740
595x1195	564	740

Step 2

Step 3

Step 4

Step 5

Step 6

Step 7

Step 7








Lighting Up a New World

V. Clip in

SHEENLY

Available Type: Step Frame Panels

Flat Frame Panels



VI. S-Shape Surface Mounted

SHEENLY

Available Type: Step Frame Panels

Flat Frame Panels

