

Commercial Highbay

Sheenly LED Highbay Light



- **Well suitable for Aesthetically demanding spaces**
- ***UGR<19**(Commercial version)
- Pro version 160lm/W (without reflector)
General version 130lm/W (without reflector)
- Heat sink with PC reflector, unique appearance
- Low operating temperature, makes it extremely versatile under different easy/hard operating conditions
- PC reflector design / Anti-glare
- Easy Installation
- 5 Years Guarantee

Applications


- Shopping-mall
- Large plazas
- Large Docking
- Aesthetically demanding spaces

Specifications

Dimension	D410*289 mm
Power & Lumen Output	
80W	10400 lm/12800lm
120W	15600 lm/19200lm
Color Temperature	
Warm White	3000 ±200K
Natural White	4000 ±250K
Pure White	5700 ±350K
Color Rendering Index	>80
Rated Life (L80)	50,000 Hours
Housing	Aluminum+PC
Beam Spread	90°
Operating Temperature	-25°C to +45°C (Amb.)
Input Voltage	90-305V/AC
Power Factor	>0.9
Net Weight	2.50 Kg
Glow Wire	650 °C
IP	IP65
IK	IK08
Installation	Pendent Mounted Stem Mounted



Dimension (mm)



Ordering Information

Sheenly	Class	Watt	CCT	Model	Finishing	Options
SL=Sheenly Lighting	BAY=Bay Light	80W 120W	WW=3000 ±200K NW=4000 ±250K PW=5700 ±350K	CN= Commercial version HC= High efficiency commercial version	WH as standard	Non-dimmable as standard -D= 1-10V -DL=Dali dimmable

*Standard finishing comes in White, for other finishing color please specify when place the order.

Part Number	Power	CCT	Lumen Output	Beam	Dimension
SL-BAY-80W-XW-CN	80W	3000K/4000K/5700K	10400 lm	90°	D410*289 mm
SL-BAY-120W-XW-CN	120W	3000K/4000K/5700K	15600 lm	90°	D410*289 mm
SL-BAY-80W-XW-HC	80W	3000K/4000K/5700K	12800 lm	90°	D410*289 mm
SL-BAY-120W-XW-HC	120W	3000K/4000K/5700K	19200 lm	90°	D410*289 mm

*XW: WW 3000K /NW 4000K /PW5700K

*Default lumen output is based on 4000K, for 3000K lumen will be around 10% lower.

Packing Information

Part Number	Pcs./Inner box	Master Carton Size[mm]	Pcs./Master Carton	Pcs./20' Container	Pcs./40' Container
SL-BAY-80W-XW-CN	1	L450*W450*H230	1	384	768
SL-BAY-120W-XW-CN	1	L450*W450*H230	1	384	768
SL-BAY-80W-XW-HC	1	L450*W450*H230	1	384	768
SL-BAY-120W-XW-HC	1	L450*W450*H230	1	384	768

Shanghai Sheenly Lighting Co., Ltd.

No. 1688 Lianhang Road, Minhang District Shanghai 201112, China

Tel: (+86)-21-6411 3138 Fax: (+86)-21-6411 3862

*All specifications subject to change without notice.

©2009-2019 Sheenly Lighting all rights reserved.