19" and 10" NETbox SOHO Network Wall Mounting C A B I N E T s





19" and 10" NETbox SOHO Network Wall Mounting Cabinets F A M I L Y

19" and 10" NETbox SOHO Network Series Wall Mounting Cabinets

NETbox SOHO Network Series wall mounting cabinets are designed for Network distribution, where a quick installation needed at an efficient cost. While product gives maximum performance on cabling and networking infrastructure, in parallel provides a very respective economy compared to its quality which is based on high technologic fully automated industry.

Product range has been optimized with the needed performance and quality as well provides the best cost scheme.

The 19" NETbox SOHO Network product range designed for the most slim packing for the flat pack delivery purposes.

Cost of delivery is minimal, and warehousing costs are relatively less with the intelligent design and slim packing

Each cabinet is supplied as standard with a glass front door lockable with a barrel style locking unit.

The 19" 540x300mm and 540x400mm available sizes for 3 available heights of 7U,9U,12U

Completely standard and stocked product portfolio, being delivered a single piece flat pack product, as shipping configuration the one set: 2pieces 19" adjustable equipment mounting rails included.

And 10" 312x300mm available at 6U height

Completely standard and stocked product portfolio, being delivered a single piece assembled product, as shipping configuration the one set: 2pieces 10" adjustable equipment mounting rails included.





FAMILY

CONSTRUCTION DETAILS:

Framework- Top/Bottom Cases:

Multi Folded Automated Bending technology applied framework and top/bottom cases, provides a heavy duty structure results to high load capacity of: 80 kgs on wall nominal way.

Monoblock multi folded top and bottom cases resulted to a very heavy construction, tightly fixed to the framework with fixing hardware, fully modular system generated. Top case has a punched/vented Forced Ventilation (Fan Module) integration housing.

A ready Fan Module can be integrated or just single Fan could be assembled directly. In case less heat load occures inside the cabinet than vented top case discharges the hot air via convection

Top case integrated with a brushed cable entry point with w:145mmxd:70mm size allows proper cabling insertion as well preventing the dust entry.

Bottom case integrated with a PVC Gland plate w:145mmxd:70mm.

In case of cables to be inserted from bottom case, the brushed cable entry and PVC gland plate could be replacing each other.

The full length smoked, shatterproof, antistatic, 4,0mm thickness glass with single point locking barrel lock is standard shipping configuration.

Solid Metal door is available upon request, please see front door variations at page 80,83.

Front door openning direction is set right to left, but reversible to left to right at site with removing the hinge system. Hinge System is channel type with screws.

The NETbox SOHO Network cabinet has a feature of integration with Caster group or PVC leveling feet group. NETbox Soho Network wall mounting cabinets can be used as underdesk or free standing purpose with this feature.

Please see detailed description in accesorry section.

Part numbers to order:

*** LN-ZMN-TKR-5020-XX for Caster Group Set LN-ZMN-PNY-1040-XX for PVC Leveling Feet Group Set


NETbox SOHO Network Wall cabinets has sticky colour changing thermometer, range 20 to 40 C as an accessory.

Available / Stocked Color of NETbox SOHO Network Wall cabinets are in RAL 7035 Light Grey, incase of Black RAL 9005 color product needed, coordinate with sales department.











Width: 540 mm.

Depth: 300 / 400 mm.

Width=540mm Depth=300/400mm

Standard Heights

1 Available U Height: 07U for D:300mm. 3 Different U Heights: 07U, 09U, 12U for D:400mm.

Standards, and Compliances:



ISO 9001:2008

Quality Management System

EN 61587 -1:2012 Mechanical Structures for Electronic Equipment

IEC 297-1, 19" mounting IEC 297-2 Overall cabinet dimentions



CE conform to
EN 60950-1:2006
Information Technology
Equipment – Safety – Part-1General Requirements



Environment Friendly;

- *Environmental awareness
- *RoHS compliancy
- *% 100 Recyclable Material

Load Capacity: 80 kgs.



NETbox SOHO series Wall Mounting Networking Enclosures, with 19" w:540mm and d:300/400mm physical sizes, with less depth need in very efficient cost scheme and logistics, and 3 different height for D:400mm, gives a choice of selection chart for users.

D:300mm is available at 7U Height where just simple Networking distribution to be operated.

All Lande 19" NETbox SOHO Wall cabinets are being delivered as a single piece Flat Pack enclosure, with standard factory settings.

For door and panel variations

*** Please see door options at the end of each product size.

Standard Color:



RAL 7035 Light Grey (Stock Delivery)

Optional Color:




RAL 9005 Black




Width: 540 mm.

Depth: 300 / 400 mm.


CONSTRUCTION DRAWING




BOTTOM VIEW




FRONT VIEW




SIDE VIEW




ISOMETRIC VIEW



REAR VIEW




TOP VIEW



EXPLODED VIEW



Width: 540 mm. Depth: 300 / 400 mm.



	NETbox SOHO Series Wall Mounting 19" Cabinets W=540mm D=400/300mm																
ROOT Product Number **	Product Description	Size WXDXH mm	h size in U	h in mm	H mm, overall without feet and/or castor	Width Overall mm	Ah Wall Mounting h mm	Width Rail to Rail	Depth Overall mm	*Depth Shipping Conf. Rail to Rear Panel mm	QTY IN PACKAGE	PACKING DIMENTIONS WXDXH mm	Standard NET Weight of product kgs	Gross Weight of Product kgs	QTY IN PALETTE	PALETTE DIMENTIONS WXDXH mm	Palette Weight kgs
LN-SH07U5430-CC-F0	7U 19" Wall Mounting Cabinet W=540mm D=300mm	540x300x370	7U	311	370	540	268	19"	300	210	1	630x425x70	8,3	9,2	60	1300x1300x1320	600
LN-SH07U5440-CC-F0	7U 19" Wall Mounting Cabinet W=540mm D=400mm	540x400x370	7U	311	370	540	268	19"	400	310	1	630x425x70	9,3	10,2	60	1300x1300x1320	670
LN-SH09U5440-CC-F0	9U 19" Wall Mounting Cabinet W=540mm D=400mm	540x400x460	9U	400	460	540	357	19"	400	310	1	630x445x70	10,7	11,7	60	1300x1300x1320	760
LN-SH12U5440-CC-F0	12U 19" Wall Mounting Cabinet W=540mm D=400mm	540x400x595	12U	533	595	540	490	19"	400	310	1	650x580x90	13,2	14,5	60	1300x1300x1620	950

please coordinate with sales department.

*** F= F0 Notation means the delivery is in Unmounted "Flat Pack" configuration Standard stock is in Flat Pack Form. If the delivery needed in Assembled way please add A0 notation. 'Sample Part Number: SH07U5440-CC-A0'




^{*} See min and max Adjustable depth variations on drawings.

**CC= LG for Light Grey RAL 7035 & BL for Black RAL 9005 for customers to define while ordering, Standard stock is in RAL 7035 LG color, for Black RAL 9005 BL

Width: 540 mm. Depth: 300 / 400 mm.

DOOR OPTIONS



19" NETbox SOHO Network Cabinet W=540 mm. D= 300/400mm. All Heights FRONT DOOR Options

- 1 Single Openning, Flat Shape, Full Glass Front Door, Single Point Barrel Locking
- 2 Single Openning, Flat Shape, Complete Solid Metal Front Door, Single Point Barrel Locking

19" NETbox SOHO Network Cabinet W=540 mm. D= 300/400mm. All Heights REAR DOOR Options

1 NO Option, Factory Configurated Rear Panels are included

19" NETbox SOHO Network Cabinet W=540 mm. D=300/400mm. All Heights SIDE PANEL Options

NO Option, Factory
 Configurated Side Panels are included

LN-AA XXU WW DD CC

 $\begin{array}{ccc} LN & Corporate & codification & beginning & letters \\ mentioning & Lande & in Short Format & as & LN \end{array}$

AA Family Group of Enclosure; FS for Free Standing cabinets, WM for Wall Mounting Cabinets, SH for Small office Home office Range, SR for Server enclosure Range, SL for Slim series, RS for Home series wall cabinets

XX Numeric Character defining the height of enclosures, depending on model differences between 12 to 45 to be selected from price list, website or catalogue

U U Height Alfanumeric Notation, concrete (non editable- fixed character)

WW The First 2 digits of the width info, 60 for W=600mm, 80 for W=800mm, 54 for W=540mm, 30 for W=300mm Soho 10" enclosure

DD The First 2 digits of the depth info, 45 for D=450mm, 40 for D=400mm, 60 for D=600mm, 80 for D=800mm, 10 for D=1000mm cabinets

CC Color Code, LG for Light Grey RAL 7035, BL for Black RAL 9005

000

- 0 Front Door Variation number, numeric character 1 to 9 / 0 means no front door, standard front door defined in Lande System as option 1., Please select other variations if needed from above door selection drawing. Unless defined option 1 should be delivered
- 0 Rear Door Variation number, numeric character 1 to 9/0 means no rear door, standard rear door defined in Lande System as option 1., Please select other variations if needed from above door selection drawing. Unless defined option 1 should be delivered
- $0\qquad Side\ Panel/Door\ Variation\ number, numeric\ character\ 1\ to\ 9\ /\ 0\ means\ no\ side\ panel\ on\ product,\ standard\ side\ panel/door\ defined\ in\ Lande\ System\ as\ option\ 1.$ Unless defined option 1 should be delivered

E lande

Width: 312 mm. Depth: 300 mm.

CONSTRUCTION DETAILS:

Framework-Top/Bottom Cases:

Multi Folded Automated Bending technology applied framework and top/bottom cases, provides a heavy duty structure results to high load capacity of: 20 kgs on wall nominal load.

Monoblock multi folded top and bottom cases resulted to a very heavy construction, tightly fixed to the framework with fixing hardware, fully modular system generated.

Top case integrated with a brushed cable entry point with w:145mm x d:70mm size allows proper cabling insertion as well preventing the dust entry.

Bottom case integrated with a PVC Gland plate w:145mmxd:70mm.

In case of cables to be inserted from bottom case, the brushed cable entry and PVC gland plate could be replacing each other.

The full length smoked, shatterproof, antistatic, 4,0mm thickness glass with single point locking barrel lock is standard shipping configuration.

Front door openning direction is set right to left, but reversible to left to right at site with removing the hinge system. Hinge System is channel type with screws.

NETbox SOHO Network Wall cabinets has sticky colour changing thermometer, range 20 to 40 C as an accessory.

Available / Stocked Color of NETbox SOHO Network Wall cabinets are in RAL 7035 Light Grey, incase of Black RAL 9005 color product needed, coordinate with sales department.










Width: 312 mm. Depth: 300 mm.



	NETbox SOHO Series Wall Mounting 10" Cabinets W=312mm D=300mm															
ROOT Product Number **	Product Description	Size WXDXH mm	h size in U	h in mm	H mm, overall	Width Overall mm	Width Rail to Rail	Depth Overall mm	*Depth Shipping Conf. Rail to Rear Panel mm	QTY IN PACKAGE	PACKING DIMENTIONS WXDXH mm	Standard NET Weight of product kgs	Gross Weight of Product kgs	QTY IN PALETTE	PALETTE DIMENTIONS WXDXH mm	Palette Weight kgs
LN-SH06U3030-CC	6U 10" Wall Mounting Cabinet W=300mm D=300mm	312x300x330	6U	267	330	312	10"	300	210	1	355x340x365	5,5	6	60	1100x1360x1950	390
LN-SBT-RMO-1U10-CC	1U 10" Shelf D=150mm	254x150x44	1U	44	-	-	10"	150		1	270x165x50	0,37	0,45	-	-	-
LN-KDG-YKD-05FC-CC	1/2U 10" Cable Management Panel brushed, for patchcord entry opening	254x12x22	1/2U	22	-	-	10"	12		1	265x20x50	0,07	0,11	-	-	-
LN-PNL-SPP-1U8P-CC	1U patch panel empty for RJ45 keystone jacks	254x12x44	1U	44	-	-	10"	12		1	265x20x50	0,27	0,31	-	-	-
LN-PRZ-ONF-1U3P-CC	1U 10" 3 way Power Stripe Module on/off Switched with cable and plug	254x100x44	1U	44	-	-	10"	100		1	270x165x50	0,60	0,70	-	-	-
LN-PNL-KPN-1U10-CC	1U 10" Blank Panel	254x12x44	1U	44	-	-	10"	12		1	265x20x50	0,09	0,13	-	-	-


^{*} See min and max Adjustable depth variations on drawings

^{**} CC= LG for Light Grey RAL 7035 & BL for Black RAL 9005 for customers to define while ordering, Standard stock is in RAL 7035 LG color, for Black RAL 9005 BL please coordinate with sales department



Width: 312 mm. Depth: 300 mm.

DOOR OPTIONS



 10° NETbox SOHO Network Cabinet W=312mm. D= 300mm. FRONT DOOR Options

- 1 Single Openning, Flat Shape, Full Glass Front Door, Single Point
- 2 Single Openning, Flat Shape, Complete Solid Metal Front Door, Single Point Barrel Locking

10" NETbox SOHO Network Cabinet W=312mm. D= 300mm. REAR DOOR Options

1 NO Option, Factory Configurated Rear Panels are included

10" NETbox SOHO Network Cabinet W=312mm. D= 300mm. SIDE PANEL Options

1 NO Option, Factory Configurated Side Panels are included

LN-AA XXU WW DD CC

LN Corporate codification beginning letters mentioning Lande in Short Format as LN

AA Family Group of Enclosure; FS for Free Standing cabinets, WM for Wall Mounting Cabinets, SH for Small office Home office Range, SR for Server enclosure Range, SL for Slim series, RS for Home series wall cabinets

XX Numeric Character defining the height of enclosures, depending on model differences between 12 to 45 to be selected from price list, website or catalogue

U U Height Alfanumeric Notation, concrete (non editable- fixed character)

WW The First 2 digits of the width info, 60 for W=600mm, 80 for W=800mm, 54 for W=540mm, 30 for W=300mm Soho 10" enclosure

DD The First 2 digits of the depth info, 45 for D=450mm, 40 for D=400mm, 60 for D=600mm, 80 for D=800mm, 10 for D=1000mm cabinets

CC Color Code, LG for Light Grey RAL 7035, BL for Black RAL 9005

000

- 0 Front Door Variation number, numeric character 1 to 9 / 0 means no front door, standard front door defined in Lande System as option 1., Please select other variations if needed from above door selection drawing. Unless defined option 1 should be delivered
- 0 Rear Door Variation number, numeric character 1 to 9 / 0 means no rear door, standard rear door defined in Lande System as option 1., Please select other variations if needed from above door selection drawing. Unless defined option 1 should be delivered
- 0~ Side Panel/Door Variation number,numeric character 1 to 9 / 0 means no side panel on product, standard side panel/door defined in Lande System as option 1. Unless defined option 1 should be delivered



19" and 10" NETbox SOHO Wall Mounting Cabinets Frequent Used Accesorry Selection Chart





Frequent Used Accesorries 19" and 10" NETbox SOHO Wall Mounting Cabinets Sizes w:width mm d:depth mm							
	19" NETbox SOHO 540x300mm	19" NETbox SOHO 540x400mm	NETbox SOHO 10" w:312mm				
Rack Mount Shelves	LN-RAF-RMO-1U20-CC	LN-RAF-RMO-1U20-CC LN-RAF-RMO-1U25-CC LN-RAF-RMO-1U30-CC	LN-SBT-RMO-1U10-CC				

^{**}CC is color code: please insert BL for Black and LG for Light Grey on the part numbers while creating order



Frequent Used Accesorries 19" and 10" NETbox SOHO Wall Mounting Cabinets Sizes w:width mm d:depth mm							
	19" NETbox SOHO 540x300mm	19" NETbox SOHO 540x400mm	NETbox SOHO 10" w:312mm				
1 fan Units on/off switched	LN-FAN-ONF-1FWM-CC	LN-FAN-ONF-1FWM-CC	-				
1 fan Units with Thermostatic control Unit	LN-FAN-THM-1FWM-CC	LN-FAN-THM-1FWM-CC	-				
2 fan Units on/off switched	LN-FAN-ONF-2FWM-CC	LN-FAN-ONF-2FWM-CC	-				
2 fan Units with Thermostatic control Unit	LN-FAN-THM-2FWM-CC	LN-FAN-THM-2FWM-CC	-				

^{**}CC is color code: please insert BL for Black and LG for Light Grey on the part numbers while creating order



Frequent Used Accesorry Selection Chart



Frequent Used Accesorries 19" and 10" NETbox SOHO Wall Mounting Cabinets Sizes w:width mm d:depth mm							
	19" NETbox SOHO 540x300mm	19" NETbox SOHO 540x400mm	NETbox SOHO 10" w:312mm				
Horizontal Cable Management Panel 19" 1U 5 rings	LN-KDG-YKD-1UKN-CC	LN-KDG-YKD-1UKN-CC	-				

^{**}CC is color code: please insert BL for Black and LG for Light Grey on the part numbers while creating order



Frequent Used Accesorries 19" and 10" NETbox SOHO Wall Mounting Cabinets Sizes w:width mm d:depth mm							
	19" NETbox SOHO 540x300mm	19" NETbox SOHO 540x400mm	NETbox SOHO 10" w:312mm				
Caster Group 2 w/breakes 2 wo/breakes	LN-ZMN-TKR-5020-XX	LN-ZMN-TKR-5020-XX	-				



Frequent Used Accesorries 19" and 10" NETbox SOHO Wall Mounting Cabinets Sizes w:width mm d:depth mm								
	19" NETbox SOHO 540x300mm	19" NETbox SOHO 540x400mm	NETbox SOHO 10" w:312mm					
PDU 6 way Schuko with 1x16A cct breaker	LN-PRZ-SGT-1U6P-SC	LN-PRZ-SGT-1U6P-SC	-					



Frequent Used Accesorries 19" and 10" NETbox SOHO Wall Mounting Cabinets Sizes w:width mm d:depth mm								
	19" NETbox SOHO 540x300mm	19" NETbox SOHO 540x400mm	NETbox SOHO 10" w:312mm					
PDU Economic 6 way Schuko on/off switch	LN-PRZ-EKO-1U6P-SC	LN-PRZ-EKO-1U6P-SC	LN-PRZ-ONF-1U3P-SC					



Frequent Used Accesorries 19" and 10" NETbox SOHO Wall Mounting Cabinets Sizes w:width mm d:depth mm								
	19" NETbox SOHO 540x300mm	19" NETbox SOHO 540x400mm	NETbox SOHO 10" w:312mm					
Mounting Hardware, Fixing M6 Cage nut set of 20	LN-DGR-KFS-M620-XX	LN-DGR-KFS-M620-XX	LN-DGR-KFS-M620-XX					

